KIWP-KIWQ-KIWE

SPLIT-TYPE ROOM AIR CONDITIONER

Wi-Fi Function
User´s Manual

Wi-Fi

ETL Intertek
C US
LISTED

AHRI CERTIFIED™
www.ahridirectory.org
Ask About Our Certified Products

KLIMAIRE≈ ®
Mark of Superior Quality

IMPORTANT NOTE:
Read this manual carefully before installing or operating your new air conditioning unit. Be sure to keep this manual for future reference. For more information, please visit www.klimaire.com

SCAN ME!

Scan the QR code to visit our Help Center for installa on guides, manuals, videos and more.

MOUS-2509

Let's get start!

Operation guideline. Please take below simple guideline instruction as reference.

Operation Steps	Operation Items	New Account	Re-install APP (registered before)
Step 1	Download and Install APP	YES	YES
Step 2	Activate APP	YES	YES
Step 3	Registration Account	YES	NO
Step 4	Login	YES	YES
Step 5	Add Device to control	YES	Registered Device will remain.

Note：If you registered the account and added device before, when you re-install the APP again and login, the added device will remain .

FCC Caution (FCC ID: 2ANDL-WBR3/2ANDL-TCWBRCU1/2ANDL-WBR1/2ANDL-TYWE1S)

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
-Reorient or relocate the receiving antenna.
-Increase the separation between the equipment and receiver.
-Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
-Consult the dealer or an experienced radio/TV technician for help.
The distance between user and device should be no less than 20cm.

CONTENTS

Wi-Fi Module specification and basic information

1. Minimum specifications on a Smart phone:

Android 6.0 version or higher

IOS 11.0 version or higher

2. Basic parameters for Wi-Fi&BT module

Parameters	Details
Network frequency	FCC:2.412-2.462GHz,CE:2.412-2.472GHz
Standards of WLAN	IEEE 802.11 b/g/n(channels 1-14)
Protocol stack support	IPv4/IPv6/TCP/UDP/HTTPS/TLS/MulticastDNS
Security support	WEP/WPA/WPA2/AES128
Network type support	STA/AP/STA+AP
Bluetooth Frequency Range(Optional)	2.402-2.480GHz
Bluetooth RF Conducted Power(Optional)	6.5dBm

Download and Install the App

SmartLife-SmartHome

For Android smart phone

Method1: Please scan the QR code with a browser scanner, download and install the APP.

Method2: Open the Google "Play Store" on your smart phone and search
         "SmartLife-SmartHome" , ownload and install the APP.

For IOS smart phone

Method1: Please scan the QR code and follow the tips to get into "App Store", download
         and install the APP.

Method2: Open the Apple "App Store" on your smart phone and search
         "SmartLife-SmartHome" , download and install the APP.

⚠ *Note:*
   Please enable the permissions of Storage/Location/Camera for this APP when installing.
   Otherwise it will have some problems when operating.

Activate APP

The first time the app is used, it will need activating.

1. Launch the APP "SmartLife-SmartHome" on your smart phone.

SmartLife-SmartHome

2. Method1:Tap button "Scan" and scan the right Activate QR code
   Method2: Tap "or Enter Activation Code" in bottom of the screen,
   then enter the activate code and tap "CONFIRM".

Activate QR code and activation code

Scan the activation QR code from instructions or device

Scan

OR

Klimaire

Note: Without the QR code or activation code, you can't active the APP and using it, please keep them safe.

or Enter Activation Code

or Enter Activation Code

＊＊＊＊＊＊

CANCEL **CONFIRM**

Registration

1.If you don't have any account please tap button "Sign up".

LOGO

Log in

Sign up

2.Tap">" and choose the country.
3.Enter your e-mail address.
4.Tap the button "Get verification code".

Search the country or slide the
screen up/down to find
and choose the Country.

←
Register

Country   >

Mobile Number/Email

☑ I Agree Privacy Policy and User Agreement

Get verification code

enter your e-mail address here

←   Country Choosed

Search

A

Afghanistan

Albania

Algeria

Angola

Argentina

Armenia

Australia

Registration

5.Enter the verification code you received from e-mail.
6.Set the Password with 6-20 characters including characters and numbers.
7.Tap "Done".

Enter verification code

* * * * * *

Verification code is sent to your email:
*****@****,Resend(55s)

Set Password

* * * * * *

6-20 characters for password, including character, numbers

Done

Login

1.Tap "Log in".
2.Enter your registered account and password.
3.Tap and read "Privacy Policy" and "User Agreement" carefully then choose "I Agree".

LOGO

Log in

Sign up

Login

Country   >

Please enter the account
****

enter your account(e-mail) here

Password
****

enter the password

☑ I Agree Privacy Policy and User agreement

Log in

Forgot password

Login

If you forgot the password or you want to reset the password, operate as below:

1.Tap "Forgot password".

2.Enter your account(e-mail address) and tap button "Get verification code".

3.Enter the verification code received by your e-mail.

4.Set the new password and tap button "Done".

<
Login
Country >
Please enter the account
Password
☑ I Agree <u>Privacy Policy</u> and User <u>agreement</u>
Forgot password

<
Forgot password
Country
Please enter the account *********** X
Get verification code

<
Enter verification code
* * * * * *
Verification code is sent to your email: ***********,Resend(52s)
didn't get a code?

<
Set Password
Password ******** X
Done

Add device

Before adding the device, please ensure that the phone's Bluetooth is turned on and that the phone's WiFi is connected to the router. You can then turn on the air conditioner and reset the WiFi module using the remote control by following one of these steps:

Method 1: Press **DISPLAY** button 6 times in 8 seconds , then you will hear 2 beeps and CF or AP will be showed on the indoor display.

Method 2: Press **ECO** button 6 times in 8 seconds , then you will hear 2 beeps and CF or AP will be showed on the indoor display.

Method 3: Long press **Mode** and **^** together over 3 seconds , then you will hear 2 beeps and CF or AP will be showed on the indoor display.

Method 4: Press **GEN** button 9 times in 8 seconds , then you will hear 2 beeps and CF or AP will be showed on the indoor display.

Add device

Add the device through auto discovering method.

Note: Make sure bluetooth of your smart phone is on.

1. Power on the indoor unit, no need to launch the air conditioner.
2. Click "+" in the upper right corner of the "Home" screen
   or tap "Add device" on the room which has no device.
3. Tap "Add" button.
4. Input the password of the Wi-Fi which the same as your smart phone connected, then tap "Next".
5. You can see the percent rate of connecting process, at the same time PP","SA","AP" shining in turn on the indoor display.
   "PP" means "Searching the router"
   "SA" means "connected to the router"
   "AP" means "connected to the server"
6. Tap "Done".

Add device

There are 3 modes to add the device manually.

1-CF mode

1.Power on the indoor unit, no need to launch the air conditioner.
2.Click "+" in the upper right corner of the "Home" screen
   or tap "Add device" on the room which has no device.
3.Tap the icon. ⬚
4.follow the comments on the screen to reset the Wi-Fi module then
   check "Confirm the device is reset" and tap"Next".
5.Input the password of the Wi-Fi which the same as your smart phone
   connected, then tap "Next".
6.You can see the percent rate of connecting process, at the same time
   "PP","SA","AP" shining in turn on the indoor display.
   "PP" means "Searching the router"
   "SA" means "connected to the router"
   "AP" means "connected to the server"
   Note: Certain models require the phone's Bluetooth to be turned on for proper connection.


Add Manually

Window Type Air Conditioner (BT+Wi-Fi)
Air Conditioner (BT+Wi-Fi)
Air Purifier

Split Air Conditioner
Security Camera
Window Type Air Conditioner

Portable Air Conditioner
Dehumidifier
Swimming Pool H/P

Ceiling& Flooring
hot air Console
Duct

Cassette

Select 2.4 Ghz Wi-Fi Network And enter password

If your Wi-Fi is 5GHz,please set it to be 2.4GHz.Common router setting method

X Wi-Fi- 5GHz
✓ Wi-Fi-2.4GHz

****

Password

enter password

Next

Reset the device

┏CF┓

Resetting Devices >

Method1:When there is a DISPLAY key on the remote control, press the DISPLAY key 6 times in the time of 8 seconds; when there is no DISPLAY key on the remote control,press the ECO key 6 times in the time of 8 seconds until the device beeps twice and the LCD screen show"AP"

Confirm the device is reset.

Next

Reset the device

Connecting device

Power on the device.

01:57

Scan devices.
Register on Cloud.
Initialize the devices.

Add Device   Done

I Device added successfully
my air conditioning added successfully

Add Device   Done

I Device added successfully
my air conditioning added successfully

### Add Device   Done

I Device added successfully
my air conditioning added successfully

Add device

2-AP mode

1. Power on the indoor unit, no need to launch the air conditioner.
2. Click "+" in the upper right corner of the "Home" screen
   or tap "Add device" on the room which has no device.
3. Tap the icon. 🖼️
4. Add device.
5. Input the password of the Wi-Fi which the same as your smart
   phone connected, then tap "Next".
6. Tap ⇆ in the upper right corner and choose "AP Mode"
   then follow the comments on the screen to reset the Wi-Fi module
   then check "Confirm the device is reset" and tap"Next".
7. Read the instruction carefully and tap "Connect now".
8. In the network setting screen, select "SmartLife-****", and tap"⇐ ".
9. You can see the percent rate of connecting process, at the same time
   "PP","SA","AP" shining in turn on the indoor display.
   "PP" means "Searching the router"
   "SA" means "connected to the router"
   "AP" means "connected to the server"


9

Add device

3-Bluetooth Mode

1. Power on the indoor unit, no need to launch the air conditioner.
2. Click "+" in the upper right corner of the "Home" screen
   or tap "Add device" on the room which has no device.
3. Tap the icon. 🖵
4. Make sure Blue tooth of your smart phone is available.
5. Tap ⇆ in the upper right corner and choose "Bluetooth"
   then follow the comments on the screen to reset the Wi-Fi module
   then check "Confirm the device is reset" and tap"Next".
6. Input the password of the Wi-Fi which the same as your smart
   phone connected, then tap "Next".
7. You can see the percent rate of connecting process,at the same time
   "PP","SA","AP" shining in turn on the indoor display.
   "PP" means "Searching the router"
   "SA" means "connected to the router"
   "AP" means "connected to the server"

Air conditioner control

The device control screen will pop up automatically after adding the device.
The device control screen will pop up manually by tapping the device name on the home screen.

Note:
There are two different control forms base on different software or Wi-Fi module firmware.
Please read the manual carefully base on the real control interface.

Control form1

Control form2

Air conditioner control

Control form1

The main control interface

Back to the Home screen

Sample2

Device details and management

Turn ON/OFF the air conditioner

Indicator of setting temperature

23°C

Set Temperature

Selected Mode/Fan speed/ Functions indicator

Decrease the setting temperature

Increase the setting temperature

Mode   Fan   Function   Timer

Control form1-Mode setting

1.Tap Mode to pop up the Mode screen.
2.Select one of the mode Feel/Cool/Heat/Dry/Fan.
3.Tap anywhere around the setting temperature to cancel the Mode setting.


Control form1-Select fan speed

1.Tap Fan to pop up the Fan screen.
2.Select one of the fan speed High/med/Low/Auto.
3.Tap anywhere around the setting temperature to cancel the selection.

Control form1-Function setting

1.Tap Function to pop up the Function screen.
2.Select one of the functions Sleep/Turbo/ECO.
3.Select UP-DOWN/LEFT-RIGHT for auto swing with direction of UP-DOWN/LEFT-RIGHT.
4.Tap anywhere around the setting temperature to cancel the Function setting.


Control form1-Timer adding

1.Tap Timer to pop up the Add Timer screen.
2.Tap Add Timer.

Control form1-Timer adding

3.Select the time, select the repeat days and Timer on/off.
4.Select the Mode/Fan speed/Function and select the setting temperature for Timer on.
5.Tap Save to add the timer.

Timer on **Timer off**

Timer cancel —— Cancel   Add Timer   Save   Cancel   Add Timer   Save —— Timer submit

12	07		12	25
13	08		13	26
14	09		14	27

Hour setting —— 15   10   15   28 —— Minute setting

16	11		16	29
17	12		17	30
18	13		18	31

Timer Off

Select days to use Smart Mode

Timer On ✔

Mon Tues Wed Thur Fri Sat Sun —— Weekly setting

Mode setting —— Mode   Cool ›

Fan Speed setting —— Fan   Auto ›   Timer Off ✔ —— Timer ON/OFF setting

Temperature setting —— Set Temperature   23℃ ›   Timer On

Function   ›

Control form1-Timer Management

1.Tap the bar of timer to edit the Timer like the Timer adding process.
2.Click the switch to enable or disable the Timer.
3.Holdind the bar of Timer about 3seconds and pop up the Remove Timer screen,
   tap CONFIRM and remove the Timer.

← Add Timer

Timer accuracy is -/+ 30 seconds

12:20
Once
Timer:Off

Remove Timer

Remove the timer?

CANCEL CONFIRM

12:20
Mon, Tue, Wed, Thurs
Timer: On 16℃ Cool Turbo UP-DOWN

Add timer

Air conditioner control

Control form2

The main control interface

Back to the
Home screen

Sample1

Tips

Name of the device

Current mode

✳ **Cool**
$25\,^\circ_0\mathrm{C}$

Decrease the
setting temperature

⊖

⊕

Increase the
setting temperature

Different background for
different mode:
Cool/Heat/Dry/Fan/Auto

Selected Functions
indicator

Power on/off

⏻
ON/OFF

Mode

Fan

Air Swing

Function Buttons

Note: *it may appear slightly different ,
depending on the air conditioner model.
Example as below:*

⏻
OFF

Mode

Fan

Precision
Air Flow

Eco

Sleep

Timer

More

Fresh Ari

Sleep

Timer

More

16

Control form2-Mode setting

1.Tap the Mode button.
2. There are 5 modes on the Mode screen, tap one button to set the Air conditioner working mode.
3.Tap the X button to back the main control screen.
4.The mode and background will change on the screen.

Note: please read the details of each mode in the user manual to control more comfortable.

Control form2-Fan speed selection

1.Tap the Fan speed button.
2.Choose your desired fan speed and tap it.
3.Tap the X button to back the main control screen.
4.The selected fan speed indicator will appear on the screen.

Mode	Fan Speed
Cool	All speeds
Fan	All speeds
Dry	
Heat	All speeds
Auto	All speeds

Note:
Fan Speed can't be adjusted on Dry mode .

*Note: Fan Speed screen may appear slightly different , depending on the air conditioner model. Example as below:*

Control form2-Air Flow control

1.Tap the Precision Air Flow button or Air Swing button.

2.Choose your desired air flow and tap it.

3.Tap the X button to back to the main control screen.

4.The selected air flow indicator will appear on the screen.
   Note: For some models without auto Left-Right wind, If you active it, you will hear a beep,but no any actions.

Note: The Main control screen and Air Flow screen may appear slightly different , depending on the air conditioner model. Example as below:

Control form2-ECO function

1. For Eco function, just tap the button to activate the function, the button will be lighting and the indicator will appear on the screen.
2. Tap again to disable the function.
3. Temperature controlled for some air conditioner model:

   In Cooling mode, the new setting temperature will ⩾ 26℃.

   In heating mode, the new setting temperature will ⩽ 25℃.

Mode	ECO enabled
Cool	Yes
Fan	
Dry	
Heat	Yes
Auto	

ECO is disabled on Fan/ Dry/Auto mode .

Note: The Main control screen and ECO control method may appear slightly different , depending on the air conditioner model. Example as below:

Note:
ECO is disabled on Turbo/Sleep mode
for some air conditioner model.

Control form2-Fresh air function

Some air conditioners support the fresh air function.
1. Click the Fresh air button and select your preferred airflow level to turn it on.
2. When you select the same airflow level button again, the fresh air function turns off.

Note: Some models support the HIGH level.

Control form2-Sleep function

1.Tap the Sleep button.
2.Choose your desired sleep mode and tap it.
3.Tap the X button to back to the main control screen.
4.The selected sleep mode indicator will appear on the screen.

Mode	Sleep enabled
Cool	Yes
Fan	
Dry	
Heat	Yes
Auto	

Sleep is disabled on Fan/ Dry/Auto mode .

Note:
The Main control screen may appear slightly different ,depending on the air conditioner model.
*Example as below:*

Note:
Sleep is disabled on Turbo/ECO mode
*for some air conditioner model..*

Control form2-Timer(off) setting

1.Tap the Timer button.
2.Tap + in the upper right corner of the Timer main screen.
3.Choose the Time/Repeat/Switch OFF then tap Save.
4.The timer(off) will appear on the Timer main screen.

Slide up or down to select time

Tap repeat> then tap your desired repeat days orOnce, then tap Confirm your selection.

Cancel	Repeat	Confirm
Once		
Monday		√
Tuesday		√
Wednesday		√
Thursday		√
Friday		√
Saturday		
Sunday		

Tap Switch> then slide the screen to chooseON and Confirm.

Cancel	Switch	Confirm
	ON	
	OFF	

Control form2-Timer(on) setting

1. Tap the Timer button.
2. Tap + in the upper right corner of the Timer main screen.
3. Set the Time/Repeat Date/Power(ON)/Set Temp/Mode/
   Fan speed/Precision Air Swing as your desired and then tap Save.
4. The timer will appear on the Timer main screen.

Sample1

* Cool
25 ℃
0

ON/OFF   Mode   Fan   Air Swing

Eco   Sleep   Timer   More

< Timer

09:09
OFF, Weekday

09:12
OFF

⊕ Add Timer

Slide up or down
to select time

< Timer

14   17
15   18
16   :   19
17   20
18   21

Repeat   **Monday....>**

Switch   **ON>**

Temperature   **25℃>**

Mode   **Cool>**

Fan Speed   **Mid>**

Air Swing   **Up-Down Swing>**

Save

Tap repeat> then tap your desired
repeat days or Once, then tap
Confirm your selection.

| Cancel	Repeat	Confirm
Once		
Monday		√
Tuesday		√
Wednesday		√
Thursday		√
Friday		√
Saturday		
Sunday		

Tap Switch> then slide the
screen to choose ON
and Confirm.

Cancel	Switch	Confirm
	ON	
	OFF	

Tap Temperature/Mode/Fan Speed/
Air Flow > one by one then set as your
desired as mentioned on the previous
chapter and tap Confirm the setting.

## Control form2-Timer management

1.Change the Timer setting:
   Tap anywhere of the timer list bar except the switch bar to get into the Timer
   setting screen, change the setting and then tap save.

2.Enable or Disable the Timer:
   Tap the left of the switch to disable the Timer.
   Tap the right of the switch to enable the Timer.

3.Delete the Timer:
   Slide the list bar of the Timer from right to left until Delete button appear,
   then tap delete.

Slid left to disable the Timer.

Slid right to enable the Timer.

Air conditioner control

Control form2-One-Time

Some air conditioners support weekly scheduling features after connecting to the online controller.
1. Click the timer button to enter.
2. One-time supports setting the air conditioner to turn on or off, executing once at the set time and then turning off. A maximum of 2 timers can be set.

Tap Switch> then slide the screen to choose ON and Confirm.

| Cancel	Switch	Confirm
	ON	
	OFF	

Control form2-Weekly(Switch)

3. Weekly (Switch) supports setting the air conditioner to turn on and off in a weekly cycle or one-time form. A maximum of 8 timers can be set.

Timer	
One-time Weekly(Switch) Weekly	

No timer

Add Timer

Timer	
One-time Weekly(Switch) Weekly	

15:10
ON, Once

15:11
ON,Saturday,Friday,Thursday,
Wednesday,Monday

⊕ Add Timer

Add Timer

1	17	
2	18	AM
3	19	PM
4	20	
5	21	

Repeat   Once 〉
Power   ON 〉

Save

Tap repeat> then tap your desired
repeat days or Once, then tap
Confirm your selection.

Cancel	Repeat	Confirm
Once		
Monday		√
Tuesday		√
Wednesday		√
Thursday		√
Friday		√
Saturday		
Sunday		

Tap Switch> then slide the
screen to choose ON
and Confirm.

Cancel	Switch	Confirm
	ON	
	OFF	

26

Control form2-Weekly

4. Weekly supports setting the air conditioner's switch, temperature, mode, and fan speed in a weekly cycle or one-time form. A maximum of 8 timers can be set.

<	Timer
One-time	Weekly(Switch)	Weekly

No timer

Add Timer

<	Timer
One-time	Weekly(Switch)	Weekly

15:27
ON,Cool,Auto,26°C,Once

⊕ Add Timer

<	Add Timer

1	17	
2	18	AM
3	19	PM
4	20	
5	21	

Repeat	Once >
Power	ON >
Set Temp	26°C >
Mode	Cool >
Fan	Auto >

Save

Tap repeat> then tap your desired repeat days or Once, then tap Confirm your selection.

| Cancel	Repeat	Confirm
Once		
Monday		√
Tuesday		√
Wednesday		√
Thursday		√
Friday		√
Saturday		
Sunday		

Tap Switch> then slide the screen to choose ON and Confirm.

| Cancel	Switch	Confirm
	ON	
	OFF	

Tap Temperature/Mode/Fan Speed/ Air Flow > one by one then set as your desired as mentioned on the previous chapter and tap Confirm the setting.

27

Control form2-More functions

1.Tap the More button to operate additional functions if it appears on the screen.

Note:
Some air conditioner model
don't have the more button.

Note: The appearance maybe different , some icons will be hidden if the air conditional do no have this function or do not enable on the current mode.

2. Tap the " ☀ Display " to switch on/off the indoor LED display.

3. Tap the " ((•)) Buzzer " to switch on/off the buzzing when operating through Wi-Fi APP.

4. Tap the " ∅ Anti-Mildew " button to activate the Anti-Mildew function, if it is available on the screen.

After AC turning off , it will start drying , reduce residual moisture and prevent mould, after function finish, it will automatically turn off.

5. Tap the " ♡ Health " button to switch on/off the healthy function, if it is available on the screen.

It activate the antibacterial ioniser function.This function only for models with the ioniser generator.

Control form2-More functions

6. Tap the " "button, if it is available on the screen.

GEN Mode▶

Certain models offer a choice of three settings, some models offer a choice of six settings, and some models can also be equipped with an additional Bluetooth module to enable automatic generator start-up.

The air conditioner will maintain proper current to save energy.


GEN Mode▶

Three images

Six images

Auto Generator Function (AUTO GEN): When the Bluetooth module is not paired, only the Grid Power Supply Settings can be used. Follow the guide link to "pair them" with the Bluetooth module.

Control form2-More functions

When the Bluetooth module is paired, display two generator methods:

Automatic Generator Function, turn off the automatic generator function, turn on the power grid generator mode, execute according to the normal generator gear. Display the currently executing gear.

Automatic Generator Function: Activate the automatic generator function. If the Bluetooth module detects that the current power source is the generator, it will execute according to the automatic generator gear. Display the currently executing gear.

Control form2-More functions

7. Tap the "Electricity Monitoring" button if it is available on the screen.
   In this function, you can monitor the air conditioner electricity consumption.

You can tap this button to pop up the calender then select the date.

Electricity
Monitoring ▶

8. Tap the " (▥) " button, if it is available on the screen.

   Self-Cleaning

   Check the details of the Self-Cleaning function on User Manual.

9. Tap the "8℃ Heat" button , if it is available on the screen.
   This function help keep the room temperature over 8℃.
   Check the details of the 8℃ Heat function on User Manual.

8℃ Heat

10. Tap the "Reservation" button , if it is available on the screen.
    You can set the time, repeat day, temperature, mode, fan speed, air flow as you desired
    and then tap Save to activate the function.
    The air conditioner will automatically reach your settings at the appointment time.

Reservation ▶

Control form2-More functions

11.Tap the "Self-diagnosis" button, if it is available on the screen.
   The air conditioner will automatically diagnosis itself and indicate the Error code
   and the problem instructions if possible.

Self-diagnosis ▶

<	Self-diagnosis
	48% Checking
	Cancel

<	Self-diagnosis
	100% Complete
	Error code: E0 Indoor and outdoor communication failure
	OK

12. Tap the "   (Photosensitive)   " button if it is available on the screen.

   This function allow the air conditioner to turn on/off the display automatically according to the
    light intensity.

13. Tap the "   (Soft Wind)   " button if it is available on the screen.

    In this function, the air conditioner will blow soft airflow through the micro holes on the deflector.

Air conditioner control

Device details and management

Tap ✎ on control form1 or tap ... on control form2 , get into the device details screen.
Here you can get some useful information and sharing the device to other accounts.
Check the following pictures and instructions carefully.The Main controlscreen may appear
slightly different ,dependingon the air conditioner model.

Control form1

Control form2

Tap to modify the device name

Tap to check the Virtual ID/Wi-Fi name/IP adress
MAC address/Time Zone/Wi-fi single strength

Tap to set the network

Switch on/off the offlice notification

Tap to sharing the devcie to other account

Tap to set group control

Tap to set the location information

FAQ and Feedback the problem or suggestions
to the APP administrator

Check and update the firmware

Tap to add the device to home screen

Tap to check the device network status

Tap to remove the device and the device will be
reset automatically once be deleted

Device details and management

How to share the devices to other accounts?

1. Tap "Device Sharing" and pop up Device Sharing screen.
2. Tap "Add Sharing".
3. Select the region and enter the account which you want to sharing.
4. Tap "Done", the account will appear on your sharing list.
5. The received sharing members should hold pressing the home screen and slide
   down to refresh the device list, the device will appear on the device list.

Account management

Account Profile setting

1.Account setting

2.Account and security

Home(Family) management

1.Tap " Home Management"

All Devices	···	⊕

Air Conditioner	⏻

Split Air Conditioner
Offline

🏠 Home   ⊙ Me

⊏⊐

Tap to set your name   >

Home Management   >

Message Center   >
FAQ & Feed back   >
More Services   >

Settings   >

🏠 Home   😊 Me

<   Home Management

My Home   >

Create a home

Jion a home

2. Enter the Home Name, set your location and specify the rooms by choosing the recommended room like "Living Room" or tapping "Add Room"

3.Create a Home

4.Join a Home，Enter the invitation code and tap ->

Cancel   **Complete Home Informati...**   Save

Home Name*   Enter
Location   Set   >

Rooms:

Living Room   ⊘
Master Bedroom   ⊘
Second Bedroom   ⊘
Dining Room   ⊘
Kitchen   ⊘
Study Room   ⊘
Add Room

<   Home Management

My Home   >

Create a home

Jion a home

<   Jion a home

Please contact with the administrator to get an invitation(Home Settings > Add Member)

Invitation code

Cancel   **Complete Home Informati...**   Save

Home Name*   Enter
Location   Set   >

Rooms:

Living Room   ⊘
Master Bedroom   ⊘
Second Bedroom   ⊘
Dining Room   ⊘
Kitchen   ⊘
Study Room   ⊘
Add Room

Notice

1. **For technical update, there is maybe deviation of the actual items from what is on the manual. We express our apologies. Please refer to your actual product and APP.**
2. **Smart air conditioner APP can be altered without notice for quality improvement and also be deleted depending on the circumstances of manufacturing firms .**
3. **In case Wi-Fi signal strength is weakened, smart App may be disconnected. So make sure the indoor unit near to wireless router.**
4. **DHCP server function should be activated for wireless router.**
5. **The internet connection may fail because of a firewall problem. In this case, contact your internet service provider.**
6. **For smart phone system security and network setting, make sure Smart air conditioner APP is trusted.**

Trouble Shooting

Description	Analysis of cause
Air conditioner can't be configured successfully	1. Check the mobile connected WLAN router SSID and password is correct; 2. Check whether there are additional settings of WLAN router as shown below. 1) Firewall by router itself or by PC 2) MAC address filtering 3) Hidden SSID 4)DHCP server Reboot WLAN router, mobile device and air conditioner (WLAN module) and connect air conditioner by CF mode again. Before rebooting, check nobody has already connected to same air conditioner.
Mobile can't control air conditioner	1. When air conditioner (WLAN module) is rebooted and app displays Device remove, ignoring this confirmation will lead to mobile device losing control permission of the air conditioner. You will need to connect the air conditioner by CF mode again. 2. In case of power failure, mobile device will lose control permission of air conditioner for 3 minutes after power failure. (Notification will now show up on the mobile device.) If you cannot control the app (air conditioner) even after power restored, you will need to connect the air conditioner by CF mode again.
Mobile can't find air conditioner	1. App display Air conditioner Device offline. Please check the following conditions. 1)The air conditioner has been reconfigured. 2)Air conditioner out of power. 3)Router out of power. 4)Air conditioner can't connect to router. 5)Air conditioner can't connect to network through the router. 6)Mobile device can't connect to network. 2. After adding the device, it disappears in device list . Hold and slide down to refresh the device list. If it has no change, shut down the app and start again.

KLIMAIRE ®≈

7999 NW 81 Place - Medley, FL 33166 USA

Tel: (305) 594 - 4972   Fax (305) 675-2212
www.klimaire.com   sales@klimaire.com

The design and specifications are subject to change without prior notice for
product improvement. Consult with the sales agency or manufacturer for details.